



# ArmorDeck 3



# ArmorDeck 3

## Driveable Ground Protection System for Heavy Loads



<b>Material:</b>	High-density polyethylene (HDPE)
<b>Dimensions (l x w x h):</b>	1.15 x 1.15 x 0.05 m (45.2 x 45.2 x 1.9 in)
<b>Weight:</b>	Approx. 19.50 kg (43 lbs) per panel
<b>Surface:</b>	Non-slip surface with a flat profile
<b>Color:</b>	Grey, Green, custom colors available
<b>Accessories:</b>	Ramps for smooth vehicle access, PE foil, geotextile
<b>Transport:</b>	22 pallets à 40 panels per standard trailer Approx. 1,003 m <sup>2</sup> (10,796.20 ft <sup>2</sup> )

### **PRODUCT PROFILE**

Manufactured from highly durable polyethylene (HDPE) with a thickness of five centimeters, ArmorDeck 3 remains dimensionally stable in all weather conditions and under heavy loads. Its integrated connection system allows for easy and stable assembly, resulting in a seamless, trip-free, and exceptionally stable surface.


The ground protection system protects both natural and artificial turf as well as various substrates such as stadium turf, green areas, asphalt and sandy ground. Since the third generation, ArmorDeck 3 reliably withstands the weight of forklifts and trucks. The pedestrian-friendly heavy-duty flooring is designed for use in both public and backstage areas, including as a substructure for grandstands, delay towers, or stage platforms.

### **HIGHLIGHTS**


- Pedestrian-friendly, low-profile anti-slip surface
- Integrated connection system for easy installation and a seamless, trip-free, highly stable surface
- Versatile use in both indoor and outdoor environments
- Dimensionally stable – even under extremely heavy loads

### **OPTIONAL EXTRAS**

- Ramps for safe and barrier-free transitions to the covered ground surface
- Underlays for added protection and improved adaptation to ground conditions – e.g. PE film, geotextile, or EnkaMat
- Seamlessly connectable via transition elements to turf protection systems from our product range
- Comprehensive services, such as project management, CAD planning, logistics, assembly, and dismantling



**01** Easily accessible by heavy vehicles such as trucks: With multidirectional connections, ArmorDeck 3 provides optimal load distribution and minimize the risk of soil compaction and damage | **02** Suitable for both spectator and stage areas, the floor protection system provides effective protection for sensitive areas, such as stadium playing fields, and supports all types of superstructures | **03** The event floor is characterized by a non-slip, and flat-profiled surface | **04** ArmorDeck 3 is suitable for indoor and outdoor use and is, among others, available in grey and green



**WHEREVER  
YOU GO, WE  
ARE THERE ...**