





ArmorDeck 3



ArmorDeck 3

Highly stable event flooring with optimal turf and subsurface protection



Material:	High-density polyethylene (HDPE)
Dimensions (l x w x h):	1.07 x 1.07 x 0.05 m (42 x 42 x 1.9 in)
Weight:	Approx. 19.50 kg (43 lbs) per panel
Surface:	Sand-blasted non-slip surface with a flat profile and traction nubs
Color:	Dark Green, Light Grey; custom colors available
Accessories:	Ramps for smooth vehicle access, PE foil, geotextile
Load Bearing Capacity:	Approx. 218 t/m ² on a level surface
Loading Capacity:	22 pallets à 40 panels per standard trailer Approx. 1,003 m ² (10,796.20 ft ²)

Applications

ArmorDeck 3 protects both natural and artificial lawns and substructures such as stadium turf, green areas or asphalt and sandy ground. The ground protection system is suitable for public traffic as well as for the substructure of grandstands, delay towers or stages. Since the third generation, ArmorDeck 3 has reliably withstood even loads such as forklifts or trucks. This makes it ideal for use in public areas as well as backstage areas.


Features

ArmorDeck 3 proves to be a floor protection that meets the highest demands. Its integrated connection system allows for easy and stable installation. Firmly connected to each other, the elements of the system provide maximum stability, subfloor protection as well as a seamless and trip-free surface. ArmorDeck 3 is made of particularly stable polyethylene. With a


thickness of five centimeters (1.9 in), it remains dimensionally stable in all weather conditions and even under high weight loads.

Optional Extras

On request, we offer the floor protection system including transport, assembly, disassembly, and final cleaning. For particularly heavy loads or as additional protection of the subsoil, we also recommend the use of geotextile.



01 Heavy vehicles, such as trucks, can drive over it without any problems: multidirectional connections ensure optimal load distribution and minimize the risk of soil compaction and damage | **02** Suitable for both spectator and stage areas, the floor protection system provides effective protection for sensitive areas, such as stadium playing fields, and supports all types of superstructures | **03** The event floor is characterized by a sandblasted, non-slip, and flat-profiled surface | **04** In addition, ArmorDeck 3 is suitable for indoor and outdoor use and is available in grey, green, and other colors



**WHEREVER
YOU GO, WE
ARE THERE ...**