



eps[®] Pro



eps Pro

Plastic ground protection for medium loads in sensitive areas



Material:	Polypropylene copolymer
Dimensions (l x w x h):	Per sheet (cover dimension): 2.263 x 1.129 x 0.027 m (89 x 44.5 x 1 in) Per element: approx. 0.562 x 0.562 x 0.027 m (22 x 22 x 1 in)
Weight:	16 kg (35 lbs)
Color:	Light Grey (other colours also possible)
Load Bearing Capacity:	For medium loads. Light vehicles such as Club Cars, Gator etc.; cars are possible, too
Loading Capacity:	22-24 pallets of 40 panels per standard trailer Approx. 2,240-2,452.64 m ² (24,200-26,400 ft ²)

Applications


eps Pro is a temporary turf protection system for sensitive surfaces.

Features

eps Pro is slightly perforated, allowing UV light, air and water to permeate the ground below. Depending on the ground conditions, eps Pro can be left down for up to five days without damaging the underlying turf and soil. eps Pro comes with a patented locking clip system. Due to special connectors between each element, eps Pro remains flexible and can adapt to slightly uneven surfaces. No special tools are required for disassembly.

Optional Extras

eps also offers delivery, installation, breakdown, and cleaning. Upon request, we can also supply specialist ramps (in either red or grey), to complete the system.



01 eps Pro floor tiles are suitable for the protection of stadium and golf turf | **02** Designed for medium-heavy loads, they can be used to create safe pedestrian and spectator areas | **03** The elements made of polypropylene copolymer, are light, water and air-permeable | **04** The lightweight floor covering system protects sensitive green areas for up to five days



**WHEREVER
YOU GO, WE
ARE THERE ...**