



MATRAX



Matrax

Durable, light weight plastic ground protection system capable of supporting heavy loads



Material:	polyethylene (HDPE)
Dimensions (l x w x h):	loading size: 1.22 x 1.22 m (48 x 48 in) cover size: 1.12 x 1.12 m (44 in x 44 in) packing size: 1.22 x 2.34 m (48 x 92 in) height: 0.038 m (1.5 in)
Weight:	approx. 21.50 kg (47.5 lbs) per panel
Color:	transparent and grey
Accessories:	hand tool
Transport:	25 mats (62 m ² / 667.36 ft ²) per (euro) pallet approx. 992 m ² (10,677.80 ft ²) per standard trailer

Applications

Create temporary flooring, pedestrian walkways, or roadways for small construction vehicles with the Matrax system. Thermoplastic design makes them a lightweight but durable solution, ideal for use on natural or artificial turf.

Features


Each Matrax mat is equipped with a textured profile for traction, and an integrated interlocking system to hold the mats in place. Installation and removal is performed quickly and easily with just a small team and light tools. Manufactured out of 100% recyclable materials, Matrax mats are also an eco-friendly product.

Optional Extras

eps offers delivery, installation, breakdown, and cleaning. In certain situations we recommend using Geotextile for extra protection of the subsurface.



01 Each Matrax mat is equipped with a textured profile for traction, and an integrated interlocking system to hold the mats in place | **02** Thermoplastic design makes them a lightweight but durable solution, ideal for use on natural or artificial turf | **03** Manufactured out of 100% recyclable materials | **04** Matrax mats are also an eco-friendly product



**WHEREVER
YOU GO, WE
ARE THERE....**