



ARMOR- DECK 1



ArmorDeck 1

Turf protection system for stable event floors



Material:	hardened polythene with UV stabilizer
Dimensions (l x w x h):	1.067 x 1.067 x 0.051 m (42 x 42 x 2 in)
Weight:	19.5 kg (43 lbs)
Transport:	approx. 1,003 m ² (10,795 ft ²) per standard trailer

Applications

The ArmorDeck 1 pedestrian flooring system offers high levels of protection sensitive surfaces such as natural or synthetic turfs found in sports pitches and running tracks. Quick to deploy, ArmorDeck 1 ensures that sensitive surfaces remain covered for the shortest amount of time possible.

Features

ArmorDeck 1 event flooring has a sandblasted, non-slip surface with a flat profile. Multi-directional locking mechanisms allow for weight dispersal and minimize damage to or compaction of the subsurface. Patented ridges on drainage and aeration holes offer unparalleled liquid-spill protection.

Optional Extras

- Ramp accessories ensure safe and smooth transitions to the subsurface
- eps offers an optional range of underlays to protect the subsurface that can adapt to varying ground conditions
- Transition products seamlessly connect ArmorDeck 1 with other ground and turf protection systems
- ArmorDeck 3, a heavy-duty, drivable, turf protection system, can be combined with ArmorDeck 1 to provide a visually contrasting, full-scope flooring system
- Cable Protectors are available to safeguard equipment and audiences on the event floor
- eps also offers CAD design to help expedite and optimize planning processes



01 ArmorDeck 1 event flooring has a sandblasted, non-slip surface with a flat profile. Multi-directional locking mechanisms allow for weight dispersal and minimize damage to or compaction of the subsurface | **02** Quick to deploy, it offers high levels of protection for sensitive surfaces | **03** Patented ridges on drainage and aeration holes offer unparalleled liquid-spill protection | **04** The material is suitable for indoor and outdoor use



**WHEREVER
YOU GO, WE
ARE THERE...**