



# ARMOR- DECK 3



# ArmorDeck 3

Highly stable event flooring with optimal turf and subsurface protection



<b>Material:</b>	high-density polyethylene (HDPE)
<b>Dimensions (l x w):</b>	overall dimensions: 1.15 x 1.15 m (45.3 x 45.3 in) working dimensions: 1.07 x 1.07 m (42 x 42 in) height: 0.05 m (1.9 in)
<b>Weight:</b>	approx. 19.50 kg per panel (43 lbs)
<b>Color:</b>	dark green, light grey; custom colors available
<b>Transport:</b>	45,6 m <sup>2</sup> (490.83 ft <sup>2</sup> ) per (euro) pallet approx. 1,003 m <sup>2</sup> (10,796.20 ft <sup>2</sup> ) per standard trailer

## Applications

ArmorDeck 3 protects natural and artificial turf as well as surfaces such as asphalt and sandy ground. The system is suitable both for pedestrian traffic and as a sub-flooring for grandstands, towers or stages. Now in its third generation, ArmorDeck 3 reliably withstands loads such as forklifts or trucks. It is well suited for both audience and backstage areas.

## Features

ArmorDeck 3 is a ground protective system designed to meet your highest expectations. The integrated connection system locks firmly to permit secure assembly, as well as maximum stability and surface protection. ArmorDeck 3 is made of polyethylene (thickness: 5 cm (1.9 in) and remains stable during all weather conditions and loads. Alongside the light-duty ArmorDeck 1, system, ArmorDeck 3 creates a gap-, transition- and trip-hazard-free surface for


events requiring heavy plant for construction and dismantling of structures such as stages and towers (ArmorDeck 3), combined with audience areas that protect the natural turf below (ArmorDeck 1).

## Optional Extras

We can provide comprehensive quotes that include shipping, assembly, disassembly, and final cleaning. For especially heavy loads or for additional protection, we recommend the use of an additional fabric such as geotextile.




01



02



01 Multi-directional locking mechanisms allow for weight dispersal and minimize the risk of damage to and compaction of the subsurface | 02 Quick to deploy, the system provides high levels of protection for sensitive surfaces | 03 This drivable event flooring has a sandblasted, non-slip surface with a flat profile and is available in grey or green | 04 ArmorDeck 3 is suitable for indoor and outdoor use



04

**WHEREVER  
YOU GO, WE  
ARE THERE...**