



# TERRAFLOR



# Terraflor

A professional turf-protection system for medium loads



<b>Material:</b>	hardened polythene with UV stabilizer
<b>Dimensions (l x w x h):</b>	1.48 x 2.23 x 0.0381 m (58.3 x 87.8 x 1.5 in)
<b>Weight:</b>	30.4 kg (67 lbs)
<b>Surface:</b>	integral non-slip surface
<b>Color:</b>	translucent natural material, which allows passage of light, ensuring grass health
<b>Accessories:</b>	Terraflor keys, edge ramps
<b>Transport:</b>	approx. 1,296 m <sup>2</sup> (13,950 ft <sup>2</sup> ) per standard trailer

## Applications

Terraflor is designed for use on both natural and artificial turf, such as football fields, golf courses, and other outdoor fields. It is ideal for uneven or sensitive surfaces as its interlocking, flexible design allows it to be laid with ease.

## Features

Terraflor's integral non-slip surface is designed with anti-spill features to prevent fluid and dirt penetration. Raised air holes prevent spillages reaching the subsurface while allowing air to permeate and reach the grass below. Multi-directional locking mechanisms ensure a stable, gap-free event surface whilst also providing effective weight dispersal.

## Optional Extras

- Ramp accessories to ensure smooth transitions to sub-surface
- An optional range of underlays to protect the sub-surface and adapt to ground conditions
- Transition products to seamlessly connect Terraflor with other ground- and turf-protection systems
- eps offers CAD design to help expedite and optimize the planning process





**01** Translucent, light-permeable natural material ensures the continued health of natural subsurfaces | **02** Suitable for indoor and outdoor use | **03** Terraflor is pedestrian-friendly and also engineered to support medium loads | **04** Terraflor is designed for use on both natural and artificial turf and is ideal for uneven or sensitive surfaces



**WHEREVER  
YOU GO, WE  
ARE THERE...**