



TERRATRAK



Terratrak

Highly stable event flooring with optimal ground protection



Material:	translucent polypropylene
Dimensions (l x w x h):	1.22 x 1.22 x 0.038 m (48 x 48 x 1.5 in)
Weight:	20.00 kg (44 lbs) per element
Surface:	interlocking overlap system creates a continuous unbroken surface
Color:	grey / translucent
Transport:	approx. 1,200 m ² (12.917 ft ²) per standard trailer

Applications

Terratrak is the ultimate alternative to other products used to protect sensitive surfaces from heavy loads. It allows high-capacity cranes, forklifts and trucks access to natural and synthetic sports turfs without compressing the ground or damaging surfaces.

Features

In the past, plywood or aluminum panels were used, often with disastrous effect. However, this situation has changed with the advent of Terratrak plus[®], which can be laid manually and is manufactured from translucent high-density polyethylene plastic, which provides a perfect base for protecting valuable turf and its substructure.

Optional Extras

Terratrak plus[®] comes pre-assembled in packs of two, using bolt systems made from the same material as the camlocks. This allows for an area of 2.42 m² (26 ft²) to be covered with each sheet, which can be installed by two people. Panels connect to by means of very strong vertical locking cams manufactured from a special nylon, which is as strong as metal but does not bend or rust, and provides the strongest possible panel-to-panel connection.



01 Terratrak is designed for use in stadiums and large arenas | **02** Optimum performance is achieved on flat, solid ground | **03** It's manufactured from translucent high-density polyethylene plastic that provides the perfect base to protect turf | **04** The flooring system can function as a stable base for big stages and grandstands or as safe access for forklifts, site traffic and heavy goods vehicles



**WHEREVER
YOU GO, WE
ARE THERE...**