



## **ArmorDeck 1**

### Turf protection system for stable event floors



Material: Hardened polythene with UV stabilizer

**Dimensions** External dimensions: approx.  $115 \times 115$  cm

(I × w): (46 × 46 in)

H = approx. 5 cm (2 in)

Cover dimension: approx. 107 x 107 cm

 $(43 \times 43 \text{ in}) = 1.14 \text{ m}^2 (12.27 \text{ ft}^2)$ 

Weight: Approx. 14.10 kg (43 lbs) / element

Transport: 22 pallets à 40 elements per standard trailer

Approx. 1,003 m<sup>2</sup> (10,795 ft<sup>2</sup>)

#### **Applications**

The ArmorDeck 1 pedestrian flooring system is particularly suited for sports pitches and running tracks. This turf protection system offers outstanding protection, especially for sensitive surfaces such as natural or synthetic turf. With its quick deployment and easy removal, ArmorDeck 1 allows for the shortest possible duration of covers.

#### **Features**

ArmorDeck 1 features a sand-blasted, non-slip, lowprofile surface. Multidirectional joints ensure even load distribution and prevent soil damage or compaction. Aeration holes and special channels provide light and oxygen to the covered turf while also draining away spills and high volumes of water.

#### **Optional Extras**

- Ramp accessories ensure safe and smooth transitions to the subsurface
- eps offers an optional range of underlays to protect the subsurface that can adapt to varying ground conditions
- Transition products seamlessly connect ArmorDeck 1
   with other ground and turf protection systems
- ArmorDeck 3, a heavy-duty, drivable, turf protection system, can be combined with ArmorDeck 1 to provide a visually contrasting, full-scope flooring system
- Cable Protectors are available to safeguard equipment and audiences on the event floor
- eps also offers CAD design to help expedite and optimize planning processes







01 ArmorDeck 1 features a non-slip surface, aeration holes, and special channels that provide light and oxygentotheturfwhileprotectingitfromleakingliquids
02 Ramps create barrier-free access to the flooring, which can be combined with heavy-duty systems |
03 Multidirectional connections promote even load distribution, which is especially advantageous at inlet and outlet areas | 04 ArmorDeck 1 provides protection for sensitive stadium turf and running tracks



# WHEREVER YOU GO, WE ARE THERE ...