

FORIS SECURITY LINE-UP GATE



Material: Steel

Dimensions: FORIS Security Line-up Gate:

Railing height: 1.10 m (43 in) Culvert width: 0.60 m (24 in)

Width of connecting rails: 0.60 m (24 in)
Width of end rails: 0.30 m (12 in)
Length (installed): approx. 2.90 m (114 in)

FORIS Security Wheelchair Gate:

Railing height: 1.10 m (43 in)
Width of wheelchair gate: 1.00 m (39 in)
Width of connecting rails: 0.60 m (24 in)
Width of end rails: 0.30 m (12 in)

Length (installed): approx. 2.90 m (114 in)

Weight: FORIS Security Line-up Gate: approx. 126 kg

(278 lbs)

FORIS Security Wheelchair Gate: 152 kg

(335 lbs)

Transport: 8 Gates per (euro) pallet,

48 gates and accessories (6 pallets)

per standard trailer

Applications

FORIS Security Line-up Gates ensure safe and controlled public access to high-traffic gatherings of all types, from concerts and sporting events, to film premieres and trade fairs. The system conforms strictly to all relevant international safety regulations.

Features


FORIS Security Line-up Gates can be easily and securely joined with temporary fences, bike racks, and police barricades. They are extremely stable and particularly resistant to frontal pressure, thanks to their robust weight and sturdy design.

Optional Extras

A broader version is also available to accommodate wheel-chair users. The FORIS system also features optional bag-check tables. eps also offers delivery, installation, breakdown and collection.







on FORIS Security Line-up Gates ensure safe and orderly entry to events | one of the order of th



WHEREVER YOU GO, WE ARE THERE ...