



LD Rolls



LD Rolls

A lightweight roadway system for short-term use



Material:	Strand-cast aluminum
Dimensions (l x w x h):	20.00 x 3.00 x 0.02 m (65 ft 7 in x 9 ft 10 in x 1 in)
Weight:	Approx. 1,215 kg per 20 m roll (2,678 lbs per 65 ft roll)
Surface:	Lightly textured, pedestrian friendly
Accessories:	PE foil, geotextile, rubber mats
Transport:	240 m (787 ft 4,82 in) (12 rolls) per standard trailer Approx. 720 m ² (7,750 ft ²)

Applications

LD Rolls are primarily used on stable surfaces to achieve optimal load distribution for light to moderate loads. The areas of application range from transport routes at events to access roads and car parks. When combined with special rubber mats as a base, the floor protection system can also be used to protect sensitive surfaces such as cobblestones or tartan tracks in stadiums.

Features

The panels are screwed together in length, creating a strong bond even on loose ground. Thanks to the low material thickness of 2 centimeters, tripping edges are minimized. With a light surface profiling, LD Rolls are ideal for situations where pedestrians, wheelchair users, bicycles, or medium-sized forklifts require safe access. LD Rolls are supplied in 25-meter rolls. They are ready for use in no time: the rolls can

be easily laid out by hand or with the help of a forklift on flat ground. The ground is protected right from the start of construction.

Optional Extras

We offer LD Rolls for long-term rental with full service or on stand-by for short-term rental. In the partial service option, transportation, setup, and dismantling can be done independently. Upon request, one of our experienced supervisors can provide on-site support. Additionally, we offer options such as rubber mats, PE film as a protective layer against spills, or geotextile (non-woven fabric) for additional protection of the covered floor.



01 Easy to install: Due to their simple handling, LD Rolls can be cost-effectively laid out by oneself | **02** The panels can be laid, dismantled, and reassembled within minutes, making them perfect for repeated use at events or construction sites | **03** The lightly textured surface provides traction for pedestrians and makes LD Rolls safe for wheelchairs, bicycles, or forklifts to drive on | **04** The roll format allows for quick installation of lightweight roads and pathways

**WHEREVER
YOU GO, WE
ARE THERE ...**