



Modular Cable Cover System



Modular Cable Cover System

Flat and Laterally Expandable



Material:	PU (polyurethane)
Dimensions:	5-channel (modular system): 0.91 x 0.31 x 0.048 m (36 x 12.2 x 1.9 in)
(l x w x h):	Channel size (w x h): 33 x 31 mm / 1.30 x 1.22 in (4x) 42 x 31 mm / 1.65 x 1.22 in (1x)
	XXL 3-channel (modular system): 0.91 x 0.23 x 0.08 m (35.8 x 9 x 3.1 in)
	Channel size (w x h): 55 x 55 mm (2.17 x 2.17 in)
Weight:	5-channel: 7.30 kg (16.1 lbs) XXL 3-channel: 9.30 kg (20.5 lbs)
Color:	Black-Red or Black-Yellow (Black-Yellow available only as a 5-channel version)
Transport:	5-channel: 40 per dolly / steel box XXL 3-channel: 55 per dolly

PRODUCT PROFILE

The Modular Cable Cover System is a versatile, low-profile cable protection system with various unique parts and wheelchair-accessible ramps. In comparison to other systems where the ramps are integrated, this cable ramp solution has separate central and ramp sections. The central sections can be securely connected in width and extended as needed. For safe passage under barriers, we recommend GIGS Multicore Barricade Modules or GIGS Flex.

HIGHLIGHTS

- You can extend the modular connection system, flat in width and as necessary
- Available as a 5-channel standard system or as a 3-channel XXL variant for large cables or hoses
- Various ramp types, including extra-flat ADA ramps

OPTIONAL EXTRAS

- Ramp accessories to ensure safe and smooth transitions to subsurfaces
- ADA Ramps facilitate wheelchair access
- GIGS Multicore Barricade Modules for safe passage under barriers
- GIGS Flex for safe passage under barriers
- A range of pedestrian and drivable flooring to service all site access requirements
- CAD design to help optimize the planning process



01 Robust enough to withstand forklifts and production vehicles: With the Modular Cable Cover System, cables and wires run safely and orderly along the ground | **02** Everything is prepared for the Guns N' Roses concert at BC Place Stadium in Vancouver! With the right barricade element, the cable protection fits optimally through the barrier | **03** Can be combined as needed: 3-channel XXL variant (on the left in the image) and 5-channel standard system in use | **04** The central sections have a hinged lid, can be securely connected in width, and expanded as needed

**WHEREVER
YOU GO, WE
ARE THERE ...**